




गुप्ता टाइल्स दिल्ली रोहतक रोड(NH-9), नियर-गणपति धाम, स्वास्तिक मोटर
(हीरो मोटरसाइकिल) जोगिंदर ढाबा के सामने, बराही मोड़, गांव सांखोल,
मेट्रो पिलर नंबर-912, बहादुरगढ़, डिस्ट्रिक्ट-झज्जर, हरियाणा, 124507

संपर्क करे- 9053888 503, 506, 504, 510

सबसे सस्ता सबसे अच्छा अभी खरीदे
WPC/ PVC PANELS



लोकेशन देखने के लिए गूगल मैप पर गुप्ता टाइल्स सर्च करे 

 www.guptaceramics.com  guptaceramics76@gmail.com

Rate : 340 tp.



MNH 2302



Length- 2900mm
Width- 160mm
Thickness- 23mm

Rate : 340 tp.




MNH 2304




Length- 2900mm
Width- 160mm
Thickness- 23mm

Rate : 340 tp.



MNH 2309



Length- 2900mm
Width- 160mm
Thickness- 23mm

Rate : 340 tp.



MNH 2311




Length- 2900mm
Width- 160mm
Thickness- 23mm

Rate : 340 tp.



MNH 2314



Length- 2900mm
Width- 160mm
Thickness- 23mm

Rate : 340 tp.



MNH 2315



**Length- 2900mm
Width- 160mm
Thickness- 23mm**

Rate : 340 tp.



MNH 2321



Length- 2900mm
Width- 160mm
Thickness- 23mm

Rate : 440 tp.



MNH-1702

Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1703



Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1704



Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1705




Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1706




Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1707



Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1708




Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1709




Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1710



**Length- 2900mm
Width- 160mm
Thickness- 17mm**

Rate : 440 tp.



MNH-1711



Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 440 tp.



MNH-1712



Length- 2900mm
Width- 160mm
Thickness- 17mm

Rate : 530 tp.




Width - 12" • Length - 10' • Thickness - 10mm

Rate : 530 tp.



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 530 tp.




Width - 12" • Length - 10' • Thickness - 10mm

Rate : 530 tp.



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 530 tp.



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 530 tp.



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 530 tp.



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 530 tp.



Width - 12" • Length - 10' • Thickness - 10mm

x x x x x x x x x x x
x x x x x x x x x x x
x x x x x x x x x x x
x x x x x x x x x x x

Rate : 340 tp.




Width - 10" • Length - 10' • Thickness - 10mm

x x x x x x x x x x x x x x x x
x x x x x x x x x x x x x x x x
Rate : 340 tp.
x x x x x x x x x x x x x x x x
x x x x x x x x x x x x x x x x




Width - 10" • Length - 10' • Thickness - 10mm

x x x x x x x x x x x
x x x x x x x x x x x
Rate : 340 tp.
x x x x x x x x x x x
x x x x x x x x x x x



Width - 10" • Length - 10' • Thickness - 10mm

Rate : 340 tp.



Width - 10" • Length - 10' • Thickness - 10mm

Rate : 340 tp.



Width - 10" • Length - 10' • Thickness - 10mm

Rate : 400 tp.



Width - 12" • Length - 10' • Thickness - 10mm


MNH / GL-2006

Rate : 400 tp.



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 350 tp.




Width - 12" • Length - 10' • Thickness - 10mm

MNH / 3004

FLUTED PANEL

x x x x x x x x x x x x
x x x x x x x x x x x x
Rate : 350 tp.
x x x x x x x x x x x x
x x x x x x x x x x x x
x x x x x x x x x x x x



Width - 12" • Length - 10' • Thickness - 10mm

MNH / 3009


FLUTED PANEL

x x x x x x x x x x x x
x x x x x x x x x x x x
Rate : 330 tp.
x x x x x x x x x x x x
x x x x x x x x x x x x
x x x x x x x x x x x x



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 330 tp.



Width - 12" • Length - 10' • Thickness - 10mm

MNH / FL-23

FLUTED PANEL

Rate : 330 tp.



Width - 12" • Length - 10' • Thickness - 10mm

MNH / FL-25

FLUTED PANEL

Rate : 330 tp.




Width - 12" • Length - 10' • Thickness - 10mm

MNH / FL-31

FLUTED PANEL

Rate : 330 tp.



Width - 12" • Length - 10' • Thickness - 10mm

MNH / FL-35

FLUTED PANEL

Rate : 330 tp.



Width - 12" • Length - 10' • Thickness - 10mm

Rate : 400 tp.



Width - 12" • Length - 10' • Thickness - 10mm

MNH / FL-38

FLUTED PANEL


x x x x x x x x x x x x
x x x x x x x x x x x x
Rate : 330 tp.
x x x x x x x x x x x x
x x x x x x x x x x x x
x x x x x x x x x x x x



Width - 12" • Length - 10' • Thickness - 10mm

MNH / 4010


x x x x x x x x x x x x
x x x x x x x x x x x x
Rate : 330 tp.
x x x x x x x x x x x x
x x x x x x x x x x x x
x x x x x x x x x x x x



Width - 12" • Length - 10' • Thickness - 10mm

MNH / 4015


Rate : 2200 tp.



UV-11



Rate : 2200 tp.



UV-12



Rate : 2200 tp.



UV-14




Rate : 2200 tp.



UV-21



Rate : 2200 tp.



UV-26



Rate : 2200 tp.



UV-37



Rate : 1800 tp.



MNH-807



Rate : 1800 tp.



MNH-811



The power of carnival

Rate : 1800 tp.



MNH-812



Rate : 1800 tp.



MNH-819



Rate : 1800 tp.



MNH-821

